




LIGHTING COLLECTION

Metalmek





METALMEK



FARETTI A PLAFONE / CEILING SPOTLIGHT

INSTALLAZIONE

Plafone

APPLICAZIONI

Area commerciale, corridoio pubblico, locale pubblico, locale residenziale, negozio

CORPO

In pressofusione di alluminio verniciato

COLORI FINITURE

Bianco

SU RICHIESTA

Alimentatore elettronico dimmerabile PUSH.
Alimentatore elettronico dimmerabile 1-10V.
Alimentatore elettronico dimmerabile DALI.
Ra 90.

MOUNTINGS

Surface mounted fitting

APPLICATION

Commercial area, public corridor, public hall, residential hall, shop

BODY

In die-cast aluminium, painted white

FINISHING COLOURS

White

ON REQUEST

*Dimmable electronic ballast PUSH.
Dimmable electronic ballast 1-10V.
DALI dimmable electronic ballast.
Ra 90.*

MILANO ROUND **8872**

196


MILANO SQUARE **8873**

197




MILANO ROUND


8872



Ø 115




Ø 170



Ø 215

4000K | 2576 lm | 26W



EMISSIONE LUMINOSA

Diretta - Simmetrica

DISPOSITIVO OTTICO

Diffusore in metacrilato opale.

LIGHT EMISSION

Direct - Symmetric

OPTICAL DEVICE

Diffuser in opal methacrylate.




K	mA	lm IN	W	H	Ø	EL. COD	DALI COD
3000	300	1308	14	50	115	88723WW0110E0B0	-
	300	1883	18		170	88723WW0165E0B0	-
	500	3100	26		215	88725WW0209E0B0	88725WW0209DDB0
4000	300	1323	14	50	115	88723NW0110E0B0	-
	300	1994	18		170	88723NW0165E0B0	-
	500	3303	26		215	88725NW0209E0B0	88725NW0209DDB0




MILANO SQUARE


8873




115X115



170x170



215x215



EMISSIONE LUMINOSA

Diretta - Simmetrica

DISPOSITIVO OTTICO

Diffusore in metacrilato opale.

LIGHT EMISSION

Direct - Symmetric

OPTICAL DEVICE

Diffuser in opal methacrylate.



K	mA	lm IN	W	H	DxL	EL. COD	DALI COD	EL. + EME COD
3000	300	1290	14	50	115	88733WW0110E0B0	-	
	300	1891	18		170	88733WW0165E0B0	-	
	500	3079	26		215	88735WW0209E0B0	88735WW0209DDB0	88735WW0209EMB0
4000	300	1353	14	50	115	88733NW0110E0B0	-	
	300	1956	18		170	88733NW0165E0B0	-	
	500	3151	26		215	88735NW0209E0B0	88735NW0209DDB0	88735NW0209EMB0

FOLLOW US



Metalmek

Metalmek Illuminazione S.r.l.
I - 20045 Lainate (MI)
Via Ramazzotti, 10
Tel. +39 02 9373157
Fax +39 02 9371016
www.metalmek.info
info@metalmek.eu

Metalmek Lighting BV
Canadabaan 7d
NL - 5388 RT Nistelrode
Tel. +31 412 614033
Fax +31 412 613461
www.metalmek.nl
info@metalmek.nl