



LED CRAFT

- New high performance pendant model



LED Design | Made In Finland

LED CRAFT

Input Power	LED-Module *Citizen 6-Gen	Color Consistency	Installation Type	Material	Beam Angle options		Luminaire Color
220 – 240V	CRI 80+ 3000K, 4000K, 5000K CRI 90+ 2700K B.BBL, 3000K B.BBL, 3500K B.BBL, 4000K	2-Step MacAdam	Suspended with power cable from the ceiling (3-5m)	Powder Painted Die-Cast Aluminum	1206 COB S 10° NFL 24° FL 30° WFL 50°	1212 COB S 20° NFL - FL 40° WFL 60°	White (RAL 9016) Silver (Ca. RAL 9006) Black (RAL 9005)

Output Current /
Module Wattage /
Luminaire Wattage:

LED Module: Citizen CLU038-1206 6Gen – COB luminous flux:


Power: 300mA – 1200mA

	CRI 80+ 3 000K	CRI 80+ 4 000K	CRI 80+ 5 000K	CRI 90+ 2 700K Below BBL	CRI 90+ 3 000K Below BBL	CRI 90+ 3 500K Below BBL	CRI 90+ 4 000K
650mA / 23W / 25W	3 450Lm	3 525Lm	3 575Lm	2 700Lm	2 800Lm	2 850Lm	3000Lm
900mA / 33W / 35W	4 450Lm	4 575Lm	4 625Lm	3 500Lm	3 625Lm	3 675Lm	3 875Lm
1050mA / 39W / 43W	5 025Lm	5 150Lm	5 200Lm	3 925Lm	4 075Lm	4 150Lm	4 350Lm

LED Module: Citizen CLU048-1212 6Gen – COB luminous flux:

Power: 300mA – 1400mA

	3 700Lm	3 800Lm	3 825Lm	2 900Lm	3 000Lm	3 050Lm	3 225Lm
650mA / 22W / 25W							
1050mA / 36W / 40W	5 625Lm	5 775Lm	5 850Lm	4 400Lm	4 575Lm	4 650Lm	4 900Lm
1400mA / 49W / 55W	7 050Lm	7 225Lm	7 325Lm	5 525Lm	5 750Lm	5 825Lm	6 125Lm



IP20

LED Design | Made In Finland

LIVAL



LED Design | Made In Finland

Metalmek Lighting B.V

Canadabaan7-d
5388 RT Nistelrode
Tel. 0412-614033
Fax 0412-613461

info@metalmek.nl
www.metalmek.nl

