


Lit Wall

Cariboni




220
240 V


50
60 Hz

CL II

IP66

IK10



Lit wall small

Max weight: 4.00kg

Max exposed surface: 0.06m²Lateral exposed surface: 0.02m²

Lit S

06LT6

Led (source flux):

Ref. @ 700mA @4000 K

Ref. @ 700mA @3000 K

5165lm 31 W

4295lm 31 W

A4**A4**

mA

700

525

350

0**5****3**

K

4000

3000

0**9**

Optics

ME-03

LA-02

LT-62

A0**A1****A2**


Colors

Sablé100

C

Smart Lighting

Custom programmable virtual midnight

HM4**Lit wall medium**

Max weight: 5.50kg

Max exposed surface: 0.10m²Lateral exposed surface: 0.02m²

Lit M

06LT7

Led (source flux):

Ref. @ 700mA @4000 K

Ref. @ 700mA @3000 K

10115lm 62W

8415lm 62W

A8**A8**

mA

700

525

350

0**5****3**

K

4000

3000

0**9**

Optics

ME-03

LA-02

LT-62

A0**A1****A2**

Colors

Sablé100

C


Smart Lighting

Custom programmable virtual midnight

HM4Esempio *Example* Beispiel**06LT7****A8****0****0****A0****C****HM4**

Lit Wall

Lit wall large



Max weight: 7.00 kg
Max exposed surface: 0.14 m²
Lateral exposed surface: 0.03 m²

Lit L		
06LT8		
Led (source flux):		
Ref. @700 mA @4000 K		Ref. @700 mA @3000 K
19915 lm 124 W		16570 lm 124 W
B6		B6
mA		
700	525	350
0	5	3
K		
4000	3000	
0	9	
Optics		
ME-03	LA-02	LT-62
A0	A1	A2
Colors		
Sablé100		
C		
Smart Lighting		
Custom programmable virtual midnight		
HM4		

Esempio Example Beispiel

06LT8	B6	0	0	A0	C	HM4
-------	----	---	---	----	---	-----

Metalmek Lighting B.V

Canadabaan7-d
5388 RT Nistelrode
Tel. 0412-614033

info@metalmek.nl
www.metalmek.nl